

00764973.011601

5

1. An apparatus for serving applications, the apparatus comprising:

a processor, for executing executable data structures;

a memory device operably connected to the processor for storing the executable data structures and associated operational data structures, the executable and operational data structures comprising:

an application server configured to host an application session;

a web server in operable communication with the application server and configured to communicate data corresponding to a user interface of the application session;

a browser proxy client in operable communication with the web server and configured to publish the data to a plurality of browsers.

2. The apparatus of claim 1, wherein the browser proxy client further comprises

a caching module configured to selectively capture the data.

3. The apparatus of claim 2, wherein the caching module is a capture module,

20

configured to selectively capture data reflecting computer usage corresponding to a user of the plurality of users and to render the captured data inaccessible to the corresponding user.

4. The apparatus of claim 3, wherein the browser proxy client further comprises

a reporting module configured to present to a reviewing authority the captured data.

25

5

5. The apparatus of claim 4, wherein the browser proxy client further comprises an audit module configured to provide to an independent agent the captured data for audit.

10  
15  
20  
25  
30  
35  
40  
45  
50  
55  
60  
65  
70  
75  
80  
85  
90  
95  
100  
105  
110  
115  
120  
125  
130  
135  
140  
145  
150  
155  
160  
165  
170  
175  
180  
185  
190  
195  
200  
205  
210  
215  
220  
225  
230  
235  
240  
245  
250  
255  
260  
265  
270  
275  
280  
285  
290  
295  
300  
305  
310  
315  
320  
325  
330  
335  
340  
345  
350  
355  
360  
365  
370  
375  
380  
385  
390  
395  
400  
405  
410  
415  
420  
425  
430  
435  
440  
445  
450  
455  
460  
465  
470  
475  
480  
485  
490  
495  
500  
505  
510  
515  
520  
525  
530  
535  
540  
545  
550  
555  
560  
565  
570  
575  
580  
585  
590  
595  
600  
605  
610  
615  
620  
625  
630  
635  
640  
645  
650  
655  
660  
665  
670  
675  
680  
685  
690  
695  
700  
705  
710  
715  
720  
725  
730  
735  
740  
745  
750  
755  
760  
765  
770  
775  
780  
785  
790  
795  
800  
805  
810  
815  
820  
825  
830  
835  
840  
845  
850  
855  
860  
865  
870  
875  
880  
885  
890  
895  
900  
905  
910  
915  
920  
925  
930  
935  
940  
945  
950  
955  
960  
965  
970  
975  
980  
985  
990  
995

6. The apparatus of claim 2, wherein the browser proxy client further comprises a web client in operable communication with the application server and configured to communicate data to the web client.

7. The apparatus of claim 6, wherein the browser proxy client further comprises a browser application for serving a second browser for display within the first browser.

8. The apparatus of claim 1, further comprising a legacy server in operable communication with the application server and configured to host a legacy application session thereon.

9. The apparatus of claim 8, further comprising a web client configured to communicate data corresponding to a user interface of the legacy application session to the application server.

10. The apparatus of claim 8, further comprising a data link in operable communication with the legacy server and the application server, and configured to communicate.

5

11. A method for serving applications, the method comprising:  
 providing an application server configured to host an application session;  
 providing a web server in operable communication with the application server and  
 configured to communicate data corresponding to a user interface of the application session;  
 providing a browser proxy client in operable communication with the web server and  
 configured to publish the data to a plurality of browsers for use by a plurality of users;  
 hosting an application session requested by a user of the plurality of users; and  
 communicating data from the application session for publication in a browser of the  
 plurality of browsers.

12. The method of claim 11, further comprising capturing data corresponding to  
 the application session; and rendering the captured data inaccessible to the corresponding  
 user.

20

13. The method of claim 12, further comprising reporting selected computer  
 usage data to a reviewing authority.

14. The method of claim 13, further comprising auditing the data corresponding  
 to the application session.

25

15. The method of claim 11, wherein the browser proxy client further comprises  
 a caching module configured to selectively capture the data.

09764973.011801  
108770.E649200

5

16. The method of claim 11, wherein the browser proxy client further comprises a web client in operable communication with the application server and configured to communicate data to the web client.

17. The method of claim 16, wherein the browser proxy client further comprises

a browser application for serving a second browser for display within the first browser.

18. The method of claim 11, further comprising a legacy server in operable

communication with the application server and configured to host a legacy application session thereon.

19. The method of claim 18, further comprising a web client configured to

communicate data corresponding to a user interface of the legacy application session to the application server.

20

20. The method of claim 18, further comprising a data link in operable

communication with the legacy server and the application server, and configured to communicate.